

# ALDRIDGE

## Solar LED Speed Warning



Solar Powered Speed Detector Warning Signs

# Solar Powered LED Speed Detector Warning Signs

The latest collection of reactive LED Speed Warning signs are now available. Built to the highest standards and quality, these new LED signs are solar powered, using a solar panel. The sign is incredibly energy efficient whilst the cost of installation is greatly reduced compared to standard wired units.

The sign can be integrated into an existing platform, through our TST SmartCity Technology software, or operate independently as a stand alone unit. These benefits allow the signs to be installed almost anywhere, including remote locations.


The printed prismatic sign board is super-reflective, bright and efficient, making it extremely easy to read in all driving conditions. These signs are very robust and meet the regulations for street signage. The sign boards are available in 3 standard colours, 2 fluorescent colours or white, to suit your individual requirements. They can be printed with any message, in any colour, with the option to add your logo.



## Solar Powered Speed Detector Warning Signs


### Benefits:

- The sign system can be operated via our TST SmartCity platform
- Integrated into your existing platform using standard LoRaWan technology
- Two sizes available, with or without the SLOW DOWN LED display
- Programmable from 0 - 99 LED display
- Speed activated 'SLOW DOWN' display when programmed to a set speed limit
- Speed activated KPH display via radar technology
- Super-reflective sign board available in 3 standard colours, 2 fluorescent colours or white
- Any colour combination available
- Custom messages printed in any colour
- Logo can be added
- Easy installation
- Aesthetic design
- Bird deterrent wire upon request





# Reduce Speed



<b>Product Code - inc. logo</b>	RSWS-RS-A-RFYG-LOGO	RSWS-RS-A-BFO-LOGO	RSWS-RS-A-WR-LOGO	RSWS-RS-A-RW-LOGO
<b>Product Code - no logo</b>	RSWS-RS-A-RFYG	RSWS-RS-A-BFO	RSWS-RS-A-WR	RSWS-RS-A-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-RS-B-RFYG-LOGO	RSWS-RS-B-BFO-LOGO	RSWS-RS-B-WR-LOGO	RSWS-RS-B-RW-LOGO
<b>Product Code - no logo</b>	RSWS-RS-B-RFYG	RSWS-RS-B-BFO	RSWS-RS-B-WR	RSWS-RS-B-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



<b>Product Code - inc. logo</b>	RSWS-RS-A-BFYG-LOGO	RSWS-RS-A-BY-LOGO	RSWS-RS-A-BG-LOGO	RSWS-RS-A-BW-LOGO
<b>Product Code - no logo</b>	RSWS-RS-A-BFYG	RSWS-RS-A-BY	RSWS-RS-A-BG	RSWS-RS-A-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-RS-B-BFYG-LOGO	RSWS-RS-B-BY-LOGO	RSWS-RS-B-BG-LOGO	RSWS-RS-B-BW-LOGO
<b>Product Code - no logo</b>	RSWS-RS-B-BFYG	RSWS-RS-B-BY	RSWS-RS-B-BG	RSWS-RS-B-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm




# School Zone



<b>Product Code - inc. logo</b>	RSWS-SZ-A-RFYG-LOGO	RSWS-SZ-A-BFO-LOGO	RSWS-SZ-A-WR-LOGO	RSWS-SZ-A-RW-LOGO
<b>Product Code - no logo</b>	RSWS-SZ-A-RFYG	RSWS-SZ-A-BFO	RSWS-SZ-A-WR	RSWS-SZ-A-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-SZ-B-RFYG-LOGO	RSWS-SZ-B-BFO-LOGO	RSWS-SZ-B-WR-LOGO	RSWS-SZ-B-RW-LOGO
<b>Product Code - no logo</b>	RSWS-SZ-B-RFYG	RSWS-SZ-B-BFO	RSWS-SZ-B-WR	RSWS-SZ-B-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



<b>Product Code - inc. logo</b>	RSWS-SZ-A-BFYG-LOGO	RSWS-SZ-A-BY-LOGO	RSWS-SZ-A-BG-LOGO	RSWS-SZ-A-BW-LOGO
<b>Product Code - no logo</b>	RSWS-SZ-A-BFYG	RSWS-SZ-A-BY	RSWS-SZ-A-BG	RSWS-SZ-A-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-SZ-B-BFYG-LOGO	RSWS-SZ-B-BY-LOGO	RSWS-SZ-B-BG-LOGO	RSWS-SZ-B-BW-LOGO
<b>Product Code - no logo</b>	RSWS-SZ-B-BFYG	RSWS-SZ-B-BY	RSWS-SZ-B-BG	RSWS-SZ-B-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



# Your Speed



<b>Product Code - inc. logo</b>	RSWS-YS-A-RFYG-LOGO	RSWS-YS-A-BFO-LOGO	RSWS-YS-A-WR-LOGO	RSWS-YS-A-RW-LOGO
<b>Product Code - no logo</b>	RSWS-YS-A-RFYG	RSWS-YS-A-BFO	RSWS-YS-A-WR	RSWS-YS-A-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-YS-B-RFYG-LOGO	RSWS-YS-B-BFO-LOGO	RSWS-YS-B-WR-LOGO	RSWS-YS-B-RW-LOGO
<b>Product Code - no logo</b>	RSWS-YS-B-RFYG	RSWS-YS-B-BFO	RSWS-YS-B-WR	RSWS-YS-B-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



<b>Product Code - inc. logo</b>	RSWS-YS-A-BFYG-LOGO	RSWS-YS-A-BY-LOGO	RSWS-YS-A-BG-LOGO	RSWS-YS-A-BW-LOGO
<b>Product Code - no logo</b>	RSWS-YS-A-BFYG	RSWS-YS-A-BY	RSWS-YS-A-BG	RSWS-YS-A-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-YS-B-BFYG-LOGO	RSWS-YS-B-BY-LOGO	RSWS-YS-B-BG-LOGO	RSWS-YS-B-BW-LOGO
<b>Product Code - no logo</b>	RSWS-YS-B-BFYG	RSWS-YS-B-BY	RSWS-YS-B-BG	RSWS-YS-B-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



# Flood Zone



<b>Product Code - inc. logo</b>	RSWS-FZ-A-RFYG-LOGO	RSWS-FZ-A-BFO-LOGO	RSWS-FZ-A-WR-LOGO	RSWS-FZ-A-RW-LOGO
<b>Product Code - no logo</b>	RSWS-FZ-A-RFYG	RSWS-FZ-A-BFO	RSWS-FZ-A-WR	RSWS-FZ-A-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-FZ-B-RFYG-LOGO	RSWS-FZ-B-BFO-LOGO	RSWS-FZ-B-WR-LOGO	RSWS-FZ-B-RW-LOGO
<b>Product Code - no logo</b>	RSWS-FZ-B-RFYG	RSWS-FZ-B-BFO	RSWS-FZ-B-WR	RSWS-FZ-B-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



<b>Product Code - inc. logo</b>	RSWS-FZ-A-BFYG-LOGO	RSWS-FZ-A-BY-LOGO	RSWS-FZ-A-BG-LOGO	RSWS-FZ-A-BW-LOGO
<b>Product Code - no logo</b>	RSWS-FZ-A-BFYG	RSWS-FZ-A-BY	RSWS-FZ-A-BG	RSWS-FZ-A-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-FZ-B-BFYG-LOGO	RSWS-FZ-B-BY-LOGO	RSWS-FZ-B-BG-LOGO	RSWS-FZ-B-BW-LOGO
<b>Product Code - no logo</b>	RSWS-FZ-B-BFYG	RSWS-FZ-B-BY	RSWS-FZ-B-BG	RSWS-FZ-B-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



# Drive Safely



<b>Product Code - inc. logo</b>	RSWS-DS-A-RFYG-LOGO	RSWS-DS-A-BFO-LOGO	RSWS-DS-A-WR-LOGO	RSWS-DS-A-RW-LOGO
<b>Product Code - no logo</b>	RSWS-DS-A-RFYG	RSWS-DS-A-BFO	RSWS-DS-A-WR	RSWS-DS-A-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-DS-B-RFYG-LOGO	RSWS-DS-B-BFO-LOGO	RSWS-DS-B-WR-LOGO	RSWS-DS-B-RW-LOGO
<b>Product Code - no logo</b>	RSWS-DS-B-RFYG	RSWS-DS-B-BFO	RSWS-DS-B-WR	RSWS-DS-B-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



<b>Product Code - inc. logo</b>	RSWS-DS-A-BFYG-LOGO	RSWS-DS-A-BY-LOGO	RSWS-DS-A-BG-LOGO	RSWS-DS-A-BW-LOGO
<b>Product Code - no logo</b>	RSWS-DS-A-BFYG	RSWS-DS-A-BY	RSWS-DS-A-BG	RSWS-DS-A-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-DS-B-BFYG-LOGO	RSWS-DS-B-BY-LOGO	RSWS-DS-B-BG-LOGO	RSWS-RDS-B-BW-LOGO
<b>Product Code - no logo</b>	RSWS-DS-B-BFYG	RSWS-DS-B-BY	RSWS-DS-B-BG	RSWS-DS-B-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



# Welcome To...



<b>Product Code - inc. logo</b>	RSWS-WT-A-RFYG-LOGO	RSWS-WT-A-BFO-LOGO	RSWS-WT-A-WR-LOGO	RSWS-WT-A-RW-LOGO
<b>Product Code - no logo</b>	RSWS-WT-A-RFYG	RSWS-WT-A-BFO	RSWS-WT-A-WR	RSWS-WT-A-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-WT-B-RFYG-LOGO	RSWS-WT-B-BFO-LOGO	RSWS-WT-B-WR-LOGO	RSWS-WT-B-RW-LOGO
<b>Product Code - no logo</b>	RSWS-WT-B-RFYG	RSWS-WT-B-BFO	RSWS-WT-B-WR	RSWS-WT-B-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



<b>Product Code - inc. logo</b>	RSWS-WT-A-BFYG-LOGO	RSWS-WT-A-BY-LOGO	RSWS-WT-A-BG-LOGO	RSWS-WT-A-BW-LOGO
<b>Product Code - no logo</b>	RSWS-WT-A-BFYG	RSWS-WT-A-BY	RSWS-WT-A-BG	RSWS-WT-A-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-WT-B-BFYG-LOGO	RSWS-WT-B-BY-LOGO	RSWS-WT-B-BG-LOGO	RSWS-WT-B-BW-LOGO
<b>Product Code - no logo</b>	RSWS-WT-B-BFYG	RSWS-WT-B-BY	RSWS-WT-B-BG	RSWS-WT-B-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



# Speed Kills



<b>Product Code - inc. logo</b>	RSWS-SK-A-RFYG-LOGO	RSWS-SK-A-BFO-LOGO	RSWS-SK-A-WR-LOGO	RSWS-SK-A-RW-LOGO
<b>Product Code - no logo</b>	RSWS-SK-A-RFYG	RSWS-SK-A-BFO	RSWS-SK-A-WR	RSWS-SK-A-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-SK-B-RFYG-LOGO	RSWS-SK-B-BFO-LOGO	RSWS-SK-B-WR-LOGO	RSWS-SK-B-RW-LOGO
<b>Product Code - no logo</b>	RSWS-SK-B-RFYG	RSWS-SK-B-BFO	RSWS-SK-B-WR	RSWS-SK-B-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



<b>Product Code - inc. logo</b>	RSWS-SK-A-BFYG-LOGO	RSWS-SK-A-BY-LOGO	RSWS-SK-A-BG-LOGO	RSWS-SK-A-BW-LOGO
<b>Product Code - no logo</b>	RSWS-SK-A-BFYG	RSWS-SK-A-BY	RSWS-SK-A-BG	RSWS-SK-A-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-SK-B-BFYG-LOGO	RSWS-SK-B-BY-LOGO	RSWS-SK-B-BG-LOGO	RSWS-SK-B-BW-LOGO
<b>Product Code - no logo</b>	RSWS-SK-B-BFYG	RSWS-SK-B-BY	RSWS-SK-B-BG	RSWS-SK-B-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



# Caution Wildlife



<b>Product Code - inc. logo</b>	RSWS-CW-A-RFYG-LOGO	RSWS-CW-A-BFO-LOGO	RSWS-CW-A-WR-LOGO	RSWS-CW-A-RW-LOGO
<b>Product Code - no logo</b>	RSWS-CW-A-RFYG	RSWS-CW-A-BFO	RSWS-CW-A-WR	RSWS-CW-A-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm



<b>Product Code - inc. logo</b>	RSWS-CW-B-RFYG-LOGO	RSWS-CW-B-BFO-LOGO	RSWS-CW-B-WR-LOGO	RSWS-CW-B-RW-LOGO
<b>Product Code - no logo</b>	RSWS-CW-B-RFYG	RSWS-CW-B-BFO	RSWS-CW-B-WR	RSWS-CW-B-RW
<b>Text &amp; Sign Colour</b>	Red on Fluoro Yellow Green	Black on Fluoro Orange	White on Red	Red on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm



<b>Product Code - inc. logo</b>	RSWS-CW-A-BFYG-LOGO	RSWS-CW-A-BY-LOGO	RSWS-CW-A-BG-LOGO	RSWS-CW-A-BW-LOGO
<b>Product Code - no logo</b>	RSWS-CW-A-BFYG	RSWS-CW-A-BY	RSWS-CW-A-BG	RSWS-CW-A-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 755 mm	535 x 755 mm	535 x 755 mm	535 x 755 mm




<b>Product Code - inc. logo</b>	RSWS-CW-B-BFYG-LOGO	RSWS-CW-B-BY-LOGO	RSWS-CW-B-BG-LOGO	RSWS-CW-B-BW-LOGO
<b>Product Code - no logo</b>	RSWS-CW-B-BFYG	RSWS-CW-B-BY	RSWS-CW-B-BG	RSWS-CW-B-BW
<b>Text &amp; Sign Colour</b>	Black on Fluoro Yellow Green	Black on Yellow	Black on Green	Black on White
<b>Dimensions</b>	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm	535 x 1075 mm







# Sign Measurements



# Sign Specifications



## 2 Fluorescent Colours, 3 Standard Colours or White



Intelligent cube technology returns efficient reflective light to drivers of heavy trucks, SUVs, motorcycles and cars with the latest headlight designs. This unique material gives you the reflective performance that you expect, and improves safety on the roads. Extremely bright and easy to read signage, these prismatic sign boards are 100% efficient – returning approximately 60% of available light back to the driver, the full cubes and angles are precisely aligned in multiple orientations to deliver consistent performance.



## **Aldridge Traffic Systems Pty Ltd**

Unit D3 & D5 Cowlairs, Southglade Business Park, Top Valley  
Nottingham NG5 9RA, UK

[www.aldridgetraffic.com.au](http://www.aldridgetraffic.com.au)

### **UNITED KINGDOM**

P: +44 (0) 1159 223 797  
F: +44 (0) 1159 223 836  
e: [info@aldridgetraffic.co.uk](mailto:info@aldridgetraffic.co.uk)

### **AUSTRALIA**

#### **NSW**

P: +61 2 9736 3677  
F: +61 2 9736 3391  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

#### **VIC**

P: +61 3 9430 0222  
F: +61 3 9430 0244  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

#### **SA**

P: +61 8 8362 2385  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

#### **NT**

P: +61 8 8947 0733  
F: +61 8 8947 0713  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

#### **ACT**

P: +61 2 6299 7922  
F: +61 2 6299 7977  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

#### **WA**

P: +61 8 9248 1002  
F: +61 8 9209 2288  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

#### **QLD**

P: +61 7 3266 1900  
F: +61 7 3266 2244  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)

#### **TASMANIA**

P: +61 3 6273 1177  
F: +61 3 6273 1759  
e: [info@trafficltd.com.au](mailto:info@trafficltd.com.au)